



注記 NOTES :  
 1. 一般公差 : ±0.4  
 GENERAL TOLERANCES : ±0.4

OVERALL TIN 0.88µmin OVERAL COPPER 0.5µmin	39000286	2478T	CHAIN
ニッケル下地 2 µmMIN. 金 0.35 µmMIN. GOLD 0.35 µmMIN. OVER NICKEL 2 µmMIN.	39-00-0344	2478GL	バラ状 LOOSE
メッキ PLATING	EDP NO.	ENG.NO.	形状 FORM

MATERIAL  
 黄銅  
 BRASS t=0.254

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS mm	SCALE 10:1	CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN 508518							
GENERAL TOLERANCES (UNLESS SPECIFIED)		<b>molex</b>  STD KK CRIMP REC  PRODUCT CUSTOMER DRAWING							
ANGULAR TOL	± 3.0 °								
4 PLACES	± 0.2								
3 PLACES	± 0.25								
2 PLACES	± 0.3								
1 PLACE	±	EC NO: 671087	DRWN: RPRABHUM	2021/05/25	DOCUMENT NUMBER <b>SD-2478X</b> DOC TYPE PSD DOC PART 001 REVISION U				
0 PLACES	±	APP: GGA	2021/08/06						
INITIAL REVISION:		DRWN: HHASEGAW	1993/04/23						
MUST REMAIN WITHIN DIMENSIONS		APPR: MFUKUSHI	1996/01/30						
DRAFT WHERE APPLICABLE		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER		
		⊗ ⊚	A3-SIZE	2478	SEE CHART	GENERAL MARKET	1 OF 1		